

03500.017895

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of: )  
: Examiner: John L. Goodrow  
HIDEKI OGAWA ET AL. )  
: Art Unit: 1756  
Appln. No.: 10/775,078 )  
:   
Filed: February 11, 2004 )  
:   
For: PROCESS FOR PRODUCING )  
ELECTROPHOTOGRAPHIC )  
PHOTOSENSITIVE MEMBER, )  
ELECTROPHOTOGRAPHIC )  
PHOTOSENSITIVE MEMBER, )  
PROCESS CARTRIDGE, AND )  
ELECTROPHOTOGRAPHIC )  
APPARATUS )  
:   
U.S. Patent No.: 7,097,953B2 )  
:   
Issued: August 29, 2006 ) January 10, 2007

**Certificate**  
JAN 17 2007  
**of Correction**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

The following minor errors have been noted in the above-mentioned patent:

ON COVER PAGE AT (57) ABSTRACT

Line 13, "a" should read --an--.

COLUMN 1

Line 67, "come" should read --become--.

COLUMN 2

Line 7, "complicate" should read --complicated--; and

Line 12, "come" should read --become--.

COLUMN 8

Line 50, "in" should read --with--.

COLUMN 11

Line 52, "In respect of" should read --With respect to--.

COLUMN 12

Line 29, "after-copying" should read --after copying--.


COLUMN 15

Table 1, "one-side" should read --one-sided--.

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Peter Saxon", written over a horizontal line.

Peter Saxon  
Attorney for Patentees  
Registration No. 24,947

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
Facsimile: (212) 218-2200

NY\_MAIN 610645v1